

**Stock Erre Inox Srl**

**Wire for Springs**

Stampato lunedì 1 marzo 2021 -06:30

ARTICLE	DESCRIPTION	U.M.	STORAGE
AISI302#0020CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,20 ± 0,005 mm Rm 2200-2530 MPa Coated Plastic spool SH460K	KG	40,300
AISI302#0035CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,35 ± 0,008 mm Rm 2100-2415 MPa Coated Plastic spool SH460K	KG	255,200
AISI302#0040CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,40 ± 0,008 mm Rm 2100-2415 MPa Coated Plastic spool SH460K	KG	916,500
AISI302#0045CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,45 ± 0,008 mm Rm 2050-2358 MPa Coated Plastic spool SH460K	KG	659,400
AISI302#0055CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,55 ± 0,008 mm Rm 2000-2300 MPa Coated Plastic spool SH460K	KG	375,100
AISI302#0060CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,60 ± 0,008 mm Rm 2000-2300 MPa Coated Plastic spool SH460K	KG	2.080,000
AISI302#0065CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,65 ± 0,010 mm Rm 2000-2300 MPa Coated Plastic spool SH460K	KG	272,300
AISI302#0070CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,70 ± 0,010 mm Rm 1950-2243 MPa Coated Plastic spool SH460K	KG	2.579,500
AISI302#0085CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,85 ± 0,010 mm Rm 1900-2185 MPa Coated Plastic spool SH460K	KG	140,700
AISI302#0090CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,90 ± 0,010 mm Rm 1900-2185 MPa Coated Coil	KG	774,000
AISI302#0090CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,90 ± 0,010 mm Rm 1900-2185 MPa Coated Metal spool 760	KG	629,400
AISI302#0095CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 0,95 ± 0,010 mm Rm 1900-2185 MPa Coated Plastic spool SH460K	KG	621,000
AISI302#0100CM1	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,00 ± 0,010 mm Rm 1900-2185 MPa Coated Metal spool 550	KG	0,800
AISI302#0100CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,00 ± 0,010 mm Rm 1900-2185 MPa Coated Metal spool 760	KG	1.904,200
AISI302#0110CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,10 ± 0,015 mm Rm 1850-2128 MPa Coated Coil	KG	302,000
AISI302#0110CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,10 ± 0,015 mm Rm 1850-2128 MPa Coated Metal spool 760	KG	1.187,200
AISI302#0110CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,10 ± 0,015 mm Rm 1850-2128 MPa Coated Plastic spool SH460K	KG	442,400
AISI302#0120CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,20 ± 0,015 mm Rm 1850-2128 MPa Coated Metal spool 760	KG	273,000
AISI302#0120CSH	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,20 ± 0,015 mm Rm 1850-2128 MPa Coated Plastic spool SH460K	KG	233,400

**Stock Erre Inox Srl**

**Wire for Springs**

Stampato lunedì 1 marzo 2021 -06:30

ARTICLE	DESCRIPTION	U.M.	STORAGE
AISI302#0125CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,25 ± 0,015 mm Rm 1850-2128 MPa Coated Coil	KG	96,600
AISI302#0130CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,30 ± 0,015 mm Rm 1800-2070 MPa Coated Coil	KG	1.856,800
AISI302#0135CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,35 ± 0,015 mm Rm 1800-2070 MPa Coated Coil	KG	1.156,500
AISI302#0140CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,40 ± 0,015 mm Rm 1800-2070 MPa Coated Coil	KG	1.218,800
AISI302#0140CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,40 ± 0,015 mm Rm 1800-2070 MPa Coated Metal spool 760	KG	2.010,400
AISI302#0150CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,50 ± 0,015 mm Rm 1800-2070 MPa Coated Coil	KG	234,400
AISI302#0150CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,50 ± 0,015 mm Rm 1800-2070 MPa Coated Metal spool 760	KG	928,600
AISI302#0170CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,70 ± 0,015 mm Rm 1750-2013 MPa Coated Coil	KG	2.174,000
AISI302#0170CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,70 ± 0,015 mm Rm 1750-2013 MPa Coated Metal spool 760	KG	2.453,200
AISI302#0190CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,90 ± 0,015 mm Rm 1700-1955 MPa Coated Coil	KG	867,400
AISI302#0190CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 1,90 ± 0,015 mm Rm 1700-1955 MPa Coated Metal spool 760	KG	1.710,000
AISI302#0200CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,00 ± 0,015 mm Rm 1700-1955 MPa Coated Coil	KG	0,000
AISI302#0220CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,20 ± 0,015 mm Rm 1650-1898 MPa Coated Metal spool 760	KG	1.810,000
AISI302#0225CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,25 ± 0,015 mm Rm 1650-1898 MPa Coated Coil	KG	1.159,800
AISI302#0230CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,30 ± 0,020 mm Rm 1650-1898 MPa Coated Coil	KG	1.185,200
AISI302#0240CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,40 ± 0,020 mm Rm 1650-1898 MPa Coated Coil	KG	1.421,200
AISI302#0250CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,50 ± 0,020 mm Rm 1650-1898 MPa Coated Coil	KG	195,000
AISI302#0260CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,60 ± 0,020 mm Rm 1600-1840 MPa Coated Coil	KG	5,400
AISI302#0270CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,70 ± 0,020 mm Rm 1600-1840 MPa Coated Coil	KG	204,200

**Stock Erre Inox Srl**

**Wire for Springs**

Stampato lunedì 1 marzo 2021 -06:30

ARTICLE	DESCRIPTION	U.M.	STORAGE
AISI302#0280CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 2,80 ± 0,020 mm Rm 1600-1840 MPa Coated Coil	KG	576,000
AISI302#0300CMS	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 3,00 ± 0,020 mm Rm 1600-1840 MPa Coated Metal spool 760	KG	1.249,000
AISI302#0321CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 3,20 ± 0,020 mm Rm 1550-1790 MPa Coated Coil	KG	620,800
AISI302#0350CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 3,50 ± 0,020 mm Rm 1550-1783 MPa Coated Coil	KG	106,800
AISI302#0450CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 4,50 ± 0,025 mm Rm 1450-1668 MPa Coated Coil	KG	253,400
AISI302#0500CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 5,00 ± 0,025 mm Rm 1450-1668 MPa Coated Coil	KG	3.514,400
AISI302#0650CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 6,50 ± 0,030 mm Rm 1350-1553 MPa Coated Coil	KG	285,000
AISI302#0700CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 7,00 ± 0,030 mm Rm 1350-1553 MPa Coated Coil	KG	302,000
AISI302#0800CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 8,00 ± 0,030 mm Rm 1350-1553 MPa Coated Coil	KG	1.325,000
AISI302#1000CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 10,00 ± 0,035 mm Rm 1250-1438 MPa Coated Coil	KG	326,000
AISI302#1060CCO	Stainless steel wire AISI 302-1.4310 D. 1,60 ± 0,015 mm Rm 1550-1650 MPa Coated Coil	KG	147,500
AISI302#1100CCO	Stainless steel wire AISI 302-1.4310 EN10270-3 D. 11,00 ± 0,035 mm Rm 1250-1438 MPa Coated Coil	KG	794,500
AISI302#1200CCO	Stainless steel wire AISI 302-1.4310 D. 12,00 ± 0,035 mm Rm 950-1150 MPa Coated Coil	KG	355,000
AISI302#1201CCO	Stainless steel wire AISI 302-1.4310 D. 12,00 ± 0,035 mm Rm 1050-1250 MPa Coated Coil	KG	2.987,000
AISI316#009CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,35 ± 0,008 mm Rm 1675-1925 MPa Coated Plastic spool SH460K	KG	174,200
AISI316#010CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,40 ± 0,008 mm Rm 1675-1925 MPa Coated Plastic spool SH460K	KG	410,700
AISI316#012CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,50 ± 0,008 mm Rm 1650-1895 MPa Coated Plastic spool SH460K	KG	193,900
AISI316#018CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,70 ± 0,010 mm Rm 1600-1840 MPa Coated Plastic spool SH460K	KG	395,600
AISI316#021CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,80 ± 0,010 mm Rm 1600-1840 MPa Coated Plastic spool SH460K	KG	120,900

**Stock Erre Inox Srl**

**Wire for Springs**

Stampato lunedì 1 marzo 2021 -06:30

ARTICLE	DESCRIPTION	U.M.	STORAGE
AISI316#023CSH	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 0,90 ± 0,010 mm Rm 1575-1811 MPa Coated Plastic spool SH460K	KG	198,900
AISI316#024CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,00 ± 0,010 mm Rm 1575-1811 MPa Coated Coil	KG	156,200
AISI316#025CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,10 ± 0,010 mm Rm 1550-1780 MPa Coated Coil	KG	314,800
AISI316#026CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,20 ± 0,015 mm Rm 1550-1780 MPa Coated Coil	KG	335,600
AISI316#028CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,30 ± 0,015 mm Rm 1500-1725 MPa Coated Coil	KG	604,600
AISI316#030CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,50 ± 0,015 mm Rm 1500-1725 MPa Coated Coil	KG	354,800
AISI316#032CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,70 ± 0,015 mm Rm 1450-1665 MPa Coated Coil	KG	532,800
AISI316#033CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,80 ± 0,015 mm Rm 1400-1610 MPa Coated Coil	KG	298,800
AISI316#034CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 1,90 ± 0,015 mm Rm 1400-1610 MPa Coated Coil	KG	384,200
AISI316#036CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 2,20 ± 0,015 mm Rm 1350-1550 MPa Coated Coil	KG	464,500
AISI316#038CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 2,50 ± 0,020 mm Rm 1350-1550 MPa Coated Coil	KG	146,000
AISI316#041CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 3,50 ± 0,020 mm Rm 1250-1435 MPa Coated Coil	KG	558,800
AISI316#043CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 4,00 ± 0,020 mm Rm 1225-1405 MPa Coated Coil	KG	601,200
AISI316#059CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 2,40 ± 0,020 mm Rm 1350-1550 MPa Coated Coil	KG	98,000
AISI316#060CCO	Stainless steel wire AISI 316-1.4401 EN10270-3 D. 2,70 ± 0,020 mm Rm 1300-1495 MPa Coated Coil	KG	112,000
AISI316LSW#024BCO	Stainless steel wire AISI 316L-1.4404 EN10270-3 D. 1,00 ± 0,010 mm Rm 1575-1811 MPa Bright Coil	KG	149,700
AISI316LSW#035CCO	Stainless steel wire AISI 316L-1.4404 EN10270-3 D. 2,00 ± 0,015 mm Rm 1400-1610 MPa Coated Coil	KG	392,400
AISI631#024CMS	Stainless steel wire AISI 631-1.4568 EN10270-3 D. 1,00 ± 0,010 mm Rm 1750-2020 MPa Coated Metal spool 760	KG	221,000
AISI631#026CCO	Stainless steel wire AISI 631-1.4568 EN10270-3 D. 1,20 ± 0,015 mm Rm 1750-2020 MPa Coated Coil	KG	389,800

**Stock Erre Inox Srl****Wire for Springs***Stampato lunedì 1 marzo 2021 -06:30*

<b>ARTICLE</b>	<b>DESCRIPTION</b>	<b>U.M.</b>	<b>STORAGE</b>
AISI631#033CCO	Stainless steel wire AISI 631-1.4568 EN10270-3 D. 1,80 ± 0,015 mm Rm 1600-1840 MPa Coated Coil	KG	460,800
AISI631#040CCO	Stainless steel wire AISI 631-1.4568 EN10270-3 D. 3,00 ± 0,020 mm Rm 1500-1730 MPa Coated Coil	KG	637,400